Dart Aerospace Ltd. Monday, 7/16/2007 2:48:17 PM User: Kim Johnston **Process Sheet Drawing Name** : LUG BRACKET : CU-DAR001 Dart Helicopters Services Customer Job Number : 33569 **Estimate Number** : 10010 : D27353 **Part Number** P.O. Number D2735 REV C **Drawing Number** This Issue : N/A Project Number Prsht Rev. : SMALL /MED FAB **Drawing Revision** First Issue Material Previous Run 30 Um: : 7/30/2007 **Due Date** Written By Checked & Approved By Removed from 9 Digit 05-10-25 JLM : Est Rev:C Comment EC waterjet Est. C 06.07.21 **Additional Product** Job Number: Description: **Machine Or Operation:** Seq. #: M1010S125 1010-1025 sheet .125 1.0 1807-07-22 5.1975 sf(s) Comment: Qty.: 0.1733 sf(s)/Unit Total: 1010-1025 sheet .125 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D2735 B 07-07-22 Dwg Rev: _C___ Prog Rev: 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 B 07-07-23 PARTS AS THEY COME OFF MACHINE SECOND CHECK 4.0 QC8

Comment: NC BRAKE


1-Form D2735-1 as per Dv

2-Deburr if required.

Comment: SECOND CHECK

0 BRAKE NC

NC BRAKE
1-Form D2735-1 as per Dwg D2735. Use CNC Brake Jig DT8204



1 C

Each

5.0

Monday, 7/16/2007 2:48:17 PM Date: Kim Johnston User: **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: LUG BRACKET Job Number: 33569 Part Number: D27353 Job Number: Description: Seq. #: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

U BAN0-26

DART AEROSPACE LTD	Work Order:	33569	
Description: Lug Bracket	Part Number:	D2735-3	
Inspection Dwg: D2735 Rev: C		Page 1 of 1	

	FIRS	T ARTICLE IN	SPECTION	ON CHE	CKLIST	
		X First Artic	le	Proto	otype	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.41	+/-0.030	,41	¥		N.	
6.594	+/-0.010	6.594				
R0.63	+/-0.030	R .63	¥			
1.750	+/-0.010	1750	¥			
Ø0.438	+0.006/-0.001	Ø 438	*			
1.50	+/-0.030	(.51	*			
R1.00	+/-0.030	R 1.00	×			
1.50	+/-0.030	1.50	X			
0.125	+/-0.010	1125	*			
					×	
						·
-						
		-				
			<u></u>			
- 500	-					
			· ·			
Measured by:	HB	Audited by:	<u>to</u> ,		Prototype Appro	val: N/A

Measured by:	HR.	Audited by:	cn.	Prototype Approval:	N/A
Date:	67-67-25	Date:	07/07/23	Date:	N/A
				`	

Rev	Date	Change	Revised by	Approv∉d
Α	06.08.29	New Issue	KJ/JLM	







DESIGN DRAWN BY			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHEC	KEO ()	APPROVED	DRAWING NO.	REV. C			
	P	KE	D2735 SHEET	1 OF 2			
DATE			TITLE	SCALE			
 98.1	2.14		LUG BRACKET	2:3			
Α		97.12.14	NEW ISSUE				
В		98.10.23	UPDATE MATERIAL (TSR A1114)	***			

RELEASED 98.12.14 DS

Α	97.12.14	NEW ISSUE
8	98.10.23	UPDATE MATERIAL (TSR A1114)
С	98.12.14	REMOVE TOOLING HOLES (TSR A1040)





D2735-1 FLAT PATTERN SYMMETRIC ABOUT BOTH CENTRE-LINES (\mathcal{G})





DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED	APPROVED	DRAWING NO.	REV. C
$ \varphi$	KE	D2735	SHEET 2 OF 2
DATE	1 1	TITLE	SCALE
98.12.14		LUG BRACKET	2:3





D2735-1 AND D2735-3 BEND DETAIL D2735-1 AND D2735-3 SHOULD BE BENT TO WITHIN 0.010 OF THE OUTSIDE PROFILE OF THE D2500-1 EXTRUSION IN THE AREAS INDICATED 'X' ABOVE.

GENERAL NOTES

MATERIAL: ASTM A36/A366/A569/A570 OR AISI 1010-1025 STEEL

0.125 THICK (11 GAUGE)

MIN. ULTIMATE TENSILE STRENGTH = 42 ksi MIN. YIELD TENSILE STRENGTH = 28 ksi

SHOP COPY

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED RETURN TO

ALL DIMENSIONS ARE IN INCHES

ENGINEERING

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Dart Aerospace Ltd

	WORK ORDER CHANGES							
STEP	PROCEDURE CHANGE	Ву	By Date Qty			Approval QC Inspector		
	· · · · · · · · · · · · · · · · · · ·							
				4:.	***			
-	TEP		PROCEDURE CHANGE By	PROCEDURE CHANGE By Date	PROCEDURE CHANGE By Date Qty	PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr		

Part No: DATE: NO DATE: DATE:

NCR:	335	S WC	ORK OR	DER NON-CONFORMANC	E (NCR)			
DATE	STEP	Description of NC Section A	Initial Chief ang	Corrective Action Section B Action Description Chief Eng	Sign &	Verification Section 6	Approval Chief Eng	Approval QC Inspector
Alp(01	t	Wrong material were pull use 4'130 constead 1010 19 piece		Sorry destray	Sto jo!	MAIOR	Assiour	[A-100]
		were scrap		see were 234 offits		0		

NOTE: Date & initial all entries